The Mahindra Pik Up.

Now assembled in











The Next Generation Mahindra Pik Up has been designed to be strong and practical, with all the power you need to get the job done. Built in India to withstand the harsh conditions of the subcontinent it delivers strength and tenacity, with reliability you can depend on. A large load box with a maximum payload of 1200 kg¹, and a braked towing capacity of 2500 kg make it the hard working, dependable team player you've always wanted. The Next Generation Mahindra Pik Up comes with a restyled Mahindra signature front grille with chrome inserts, dual projector headlamps, an integrated air-scoop in the bonnet, and tough new wrap-around bumpers.

The Next Generation Mahindra Pik Up is powered by Mahindra's legendary 2.2 litre, 4-cylinder mHawk turbo-diesel engine. The new six-speed transmission delivers an impressive 103kW of power and 320Nm of torque, providing effortless acceleration and all the muscle you could ever need. The updated engineering is more fuel efficient too, and low on CO2 emissions - a hallmark of Mahindra's cutting-edge technology.

The Pik Up's Mechanical Locking Differential (MLD) is manufactured by the world renowned Eaton Corporation with its 'shift-on-the-fly' functionality further enhancing its off-road capabilities. It provides full axle lock automatically when needed without any manual intervention, providing the optimum traction for your situation.

THE HARDEST WORKER YOU'LL EVER HAVE ON YOUR TEAM.

Just so



strong.


















- 01 The legendary mHawk turbo-diesel engine.
- 02 Dual projector headlamps.
- O3 The integrated bonnet scoop and restyled signature grille.
- 04 The six-speed gearbox provides ample power whenever you need it.
- 05 Tough new road-armour bumpers.

- 06 The factory-fitted audio system features USB and auxilliary.2
- 07 The cab is well ventilated with heater and fan³ or manual air-conditioner.²
- 08 A12V charging point is mounted on the centre console.
- 09 Dual airbags for driver and passenger.2

EVERYTHING YOU NEED: IN PLACE

The Next Generation Mahindra Pik Up has all that you will need in terms of comfort. Standard features include power steering, central locking² and a USB port. There is also a manual air conditioner² to help you keep your cool when things get hot. Other advances include the introduction of Micro-hybrid technology that enables the engine to intelligently switch into standby mode when not in use, saving both on fuel and the environment.

On the performance front, new Cushion Suspension and Anti-Roll

Technology provide unparalleled stability and road holding, while ABS

(anti-lock braking system)² with EBD (electronic brake distribution)² will keep you in control in hazardous situations.

Additional safety aspects of the Pik Up include dual front airbags and side impact protectionbars. The engine immobiliser includes an encrypted key recognition system that will reject any foreign key accessing the vehicle. This is further supported by the anti-theft warning system to protect against illegal entry.



A comprehensive range of high quality accessories is available to enhance your vehicle - providing you with all that you could possibly need to go where you want to go and do what you need to do. Ask your dealer for more details.









- 10 Towbar.
- 11 Replacement side step.
- 12 Front wrap-around bumper.
- 13 Roll-bar with laser-cut logo detail.

Features	S4 Dropside	S4 4X2	S4 4X4	S6 4X2	S6 4X4
New front grille with silver highlights				•	•
Fog lamps, new round style with silver bezel				•	•
New clear-lens side indicator with amber bulb				•	•
New clear lens dual projector headlamps				•	•
High-level brake light	•	•	•	•	•
One-touch lane change indicator				•	•
Colour-coded bumpers				•	•
Electoric outside reav-view mirrors (ORVMs)				•	•
Colour-coded mirrors				•	•
Colour-coded door handles				•	•
Mud flaps	•	•	•	•	•
Side step	•	•	•	•	•
Integrated bonnet scoop	•	•	•	•	•
Side mouldings	•	•	•	•	•

Comfort and convenience	S4 Dropside	S4 4X2	S4 4X4	S6 4X2	S6 4X4
Air conditioner (Manual control)	Optional	Optional	•	•	•
Heater and fan	•	•	•		
Heated rear window demister	•	•	•	•	•
Power windows				•	•
Power steering	•	•	•	•	•
Tiltable steering	•	•	•	•	•
Central locking				•	•
Keyless entry				•	•
12V charging point on central bezel	•	•	•	•	•
Integrated audio system with USB & AUX				•	•
Swivel interior reading lamps	•	•	•	•	•
Height adjustable driver's seat				•	•
Arm rests for driver and passenger				•	•
Headrests	•	•	•	•	•
Upholstery	Vinyl	Vinyl	Vinyl	Fabric	Fabric
Electrically operated fuel lid				•	•
Illuminated key ring	•	•	•	•	•

Safety	S4 Dropside	S4 4X2	S4 4X4	S6 4X2	S6 4X4
Anti-Lock Braking System (ABS)	•	•	•	•	•
Electronic Brake Distribution (EBD)				•	•
Seat Belt Pretensioner				•	•
Air-Bags (Driver I Passenger)				•	•
Side impact protection bars	•	•	•	•	•
Collapsible steering column				•	•
Crash bar	•	•	•	•	•
Seat belt reminder	•	•	•	•	•
Auto-locking doors				•	•

Technology	S4 Dropside	S4 4X2	S4 4X4	S6 4X2	S6 4X4
Micro hybrid (Start/stop)	•	•	•	•	•
Cruise control				•	•
Digital immobilser	•	•	•	•	•
Follow me home headlamps				•	•
Automatic headlamp reminder				•	•

- Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications.
 ** Service plan not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

Technical data	S4 & S6 4X2 & 4X4		
Engine capacity	2179 cc		
Number of cylinders	4		
Fuel type	Diesel		
Aspiration	Turbocharger		
Fuel injection type	Common rail		
Bore x stroke	85 x 96 mm		
Compression ratio	16.5:1		
Number of cylinders	4		
Power output	103 kW @ 3750 r/min		
Torque output	320 Nm @ 1500 - 2800 r/min		
Fuel consumption - combined	7.7 l/100km (2WD) / 7.9 l/100km (4WD)		
CO2 Emission	204 gm/km (2WD) / 210gm/km (4WD)		
Emission - Euro stage	Euro 2		
Drive type	2WD / 4WD		
Transmission	6-speed manual		
Low range	Available on 4WD only		
Mechanical differential lock	Rear axle MLD		
Wheel rim size	6.5J X 16"		
Tyre size	245/75R16		
Spare wheel	Full size spare		
Spare wheel lock	Yes		
GCM	5650 kg		
GVM	3150 kg		
Payload	1195kg (2WD) /1095kg (4WD)		
Legal towing weight - braked	2500kg		
Legal towing weight - unbraked	750kg		
Overall length	5175 mm		
Overall width	1820 mm		
Overall height (unladen)	1860 mm		
Minimum ground clearance	210 mm		
Wheelbase	3040 mm		
Track - front	1450 mm		
Track - rear	1450 mm		
Approach angle	34º		
Breakover angle	18º		
Departure angle	15⁴		
Fuel tank capacity	80 litres		
Turning radius	6.7 m		
Load area dimensions - Pik Up	Length 2294 mm, Width 1520 mm, Depth 550 mm		
Outside dimensions - Dropside	Length 2400 mm, Width 1680 mm, Height 1060 mm		

Warranty and service information	S4 Dropside / S4 4X2 & 4X4	S6 4X2 & 4X4			
Warranty	4-Years/120 000 km	4-Years/120 000 km			
Service plan* *	Optional	5-Years/90 000 km			
Service intervals	20 000 km	20 000 km			
1st service10000 km, thereafter every 20000 km (with Maximile Oils)					
Roadside Assistance**	4-Years/ 120 000 km	4-Years/ 120 000 km			